

ARTELUX
THE LIGHTING ART













TECHNICAL LIGHTING

BRIGHT ALL DARK SPACES



















UNDER SCORE LED STRIP & ALUMINIUM PROFILES



ALMUNIU PROFILES





TYPE COB 24V 8mm
CCT 2700K - 3000K - 4000K
LED QTY 320L
WATT/MT 12W/M
IP IP20

3 YEARS WARRANTY



TYPE SMD 24V 8mm 1 line
CCT 3000K - 4000K - 6500k
LED QTY 60L
WATT/MT 8W/M
IP IP20

2 YEARS WARRANTY




TYPE SMD 24V 8mm 1 line
CCT 3000K - 4000K - 6500k
LED QTY 120L
WATT/MT 16W/M
IP IP20

3 YEARS WARRANTY




TYPE SMD 24V 15mm 2 line
CCT 3000K - 4000K - 6500k
LED QTY 240L
WATT/MT 24W/M
IP IP20

2 YEARS WARRANTY



TYPE SMD 24V 15mm 3 line
CCT 3000K - 4000K - 6500k
LED QTY 280L
WATT/MT 28W/M
IP IP20

2 YEARS WARRANTY



TYPE SMD 24V 15mm 3 line
CCT 3000K - 4000K - 6500k
LED QTY 360L
WATT/MT 36W/M
IP IP20

3 YEARS WARRANTY




TYPE COB RGBCW 24V
CCT RGBCW
LED QTY 840L
WATT/MT 26W/M
IP IP20




TYPE RGBCW CONTROLLER 24V
IP IP20




TYPE 360 degree 14mm 220V
CCT 3000K - 4000K
LED QTY 240L
WATT/MT 16W/M
IP IP44



TYPE COB 24V 8MM
CCT 3000K - 4000K
LED QTY 320L
WATT/MT 12W/M
IP IP67



TYPE COB 220V 8mm
CCT 3000K - 4000K
LED QTY 320L
WATT/MT 12W/M
IP IP44




TYPE SMD 24V 8mm
CCT 3000K - 4000K - 6500k
LED QTY 240L
WATT/MT 12W/M
IP IP67





WATTOUTPUT	VOLTAGE	VOLTAGE	IP	MATERIAL
25W	12VDC	220-240VAC	IP20	Aluminium
60W	12VDC	220-240VAC	IP20	Aluminium
100W	12VDC	220-240VAC	IP20	Aluminium
150W	12VDC	220-240VAC	IP20	Aluminium
200W	12VDC	220-240VAC	IP20	Aluminium
250W	12VDC	220-240VAC	IP20	Aluminium
350W	12VDC	220-240VAC	IP20	Aluminium




WATTOUTPUT	VOLTAGE	VOLTAGE	IP	MATERIAL
60W	24VDC	220-240VAC	IP20	Aluminium
100W	24VDC	220-240VAC	IP20	Aluminium
150W	24VDC	220-240VAC	IP20	Aluminium
200W	24VDC	220-240VAC	IP20	Aluminium
300W	24VDC	220-240VAC	IP20	Aluminium
400W	24VDC	220-240VAC	IP20	Aluminium
600W	24VDC	220-240VAC	IP20	Aluminium



WATTOUTPUT	VOLTAGE	VOLTAGE	IP	MATERIAL
60W	24VDC	220-240VAC	IP20	Aluminium
100W	24VDC	220-240VAC	IP20	Aluminium
150W	24VDC	220-240VAC	IP20	Aluminium
200W	24VDC	220-240VAC	IP20	Aluminium
300W	24VDC	220-240VAC	IP20	Aluminium
400W	24VDC	220-240VAC	IP20	Aluminium
600W	24VDC	220-240VAC	IP20	Aluminium



WATTOUTPUT	VOLTAGE	VOLTAGE	IP	MATERIAL
100W	48VDC	220-240VAC	IP20	Aluminium
200W	48VDC	220-240VAC	IP20	Aluminium
200W	48VDC	220-240VAC	IP20	Aluminium



WATTOUTPUT	VOLTAGE	VOLTAGE	IP	MATERIAL
100W	24VDC	220-240VAC	IP67	Aluminium
200W	24VDC	220-240VAC	IP67	Aluminium
300W	24VDC	220-240VAC	IP67	Aluminium
400W	24VDC	220-240VAC	IP67	Aluminium



















TYPE
Hidden light power cord 15A
Led ip67 8mm connector
Led 8mm connector

VOLTAGE
220-240VAC
24VDC
24VDC















LIGHT THAT MOVE INNOVATION















RECESSED FRAMES & SPOTLIGHTS











RECESSED FRAMES & SPOTLIGHTS




RECESSED FRAMES & SPOTLIGHTS









Power 7W
Beam Angle 110°
CCT 3000K - 4000K
CRI >80




Power 10W
Beam Angle 110°
CCT 3 CCT
CRI >83




LED BRIDGELUX
DRIVER LIFUD
Power 12W
Beam Angle 38°
CCT 3000K - 4000K
CRI >95




Power 7W
Beam Angle 110°
CCT 3000K - 4000K - 6500k
CRI >80




Power 2W - 6W Dimmable
Beam Angle 110°
CCT 3000K - 4000K
CRI >80




Power 7W
Beam Angle 120°
CCT 3000K - 4000K
CRI >80







LED
BRIDGELUX
DRIVER
LIFUD
CCT
3000K - 4000K
WATT
7W
CRI
95




LED
BRIDGELUX
DRIVER
LIFUD
CCT
3000K - 4000K
WATT
12W
CRI
95




LED
ARTELUX
DRIVER
ARTELUX
CCT
3CCT
WATT
10W
CRI
85



LED
OSRAM
DRIVER
LIFUD
CCT
4000K
WATT
10W
CRI
95












LED
OSRAM
DRIVER
LIFUD
CCT
4000K
WATT
10W
CRI
95




LED
ARTELUX
DRIVER
ARTELUX
CCT
3000k - 4000k
WATT
10W
CRI
85


SPOTLIGHT FIXTURE




DOWN LIGHTS




Power 6W
Beam Angle 110°
CCT 3000K- 4000K- 6500K
CRI >80




Power 9W
Beam Angle 110°
CCT 3000K- 4000K- 6500K
CRI >80



Power 12W
Beam Angle 110°
CCT 3000K- 4000K- 6500K
CRI >80



Power 16W
Beam Angle 110°
CCT 3000K- 4000K- 6500K
CRI >80




Power 20W
Beam Angle 110°
CCT 3000K- 4000K- 6500K
CRI >80




25W
WHITE
220VAC
IP67




25W
WHITE
220VAC
IP67



18W
WHITE
220VAC
IP40




24W
WHITE
220VAC
IP40




25W
BLACK
220VAC
IP67




25W
BLACK
220VAC
IP67



36W
WHITE
220VAC
IP40




50W
WHITE
220VAC
IP40







A modern, minimalist living room interior. The room features a large, light grey sectional sofa with several cushions, positioned on a light-colored rug. In the background, there is a dark, sleek bar counter with two black bar stools. To the left, a built-in shelving unit holds various decorative items, including books, vases, and a small plant. A large window on the right side of the room offers a view of lush greenery outside. The ceiling is white with a black track lighting system. The overall aesthetic is clean and contemporary.

**GO BEYOND WITH
MAGNETIC SYSTEM**






MAGNETIC RAIL






2M
5mm
Black
24VDC



1M-2M-3M
Black
48VDC



1M-2M-3M
Black
48VDC




ULTRA NARROW MAGNETIC
5mm 24VDC





Line grille lamp - 6W

Size	L216*W5*H14 mm
Beam Angle	45°
CCT	3000K / 4000K
CRI	>90




Line grille lamp - 9W

Size	L316*W5*H14 mm
Beam Angle	45°
CCT	3000K / 4000K
CRI	>90




Folding grille lamp - 6W

Size	L118*W15*H100 mm
Beam Angle	24°
CCT	3000K / 4000K
CRI	>90





Line floodlight - 9W

Size	L316*W5*H14 mm
Beam Angle	120°
CCT	3000K / 4000K
CRI	>90




Line floodlight - 18W

Size	L616*W5*H14 mm
Beam Angle	120°
CCT	3000K / 4000K
CRI	>90




Folding floodlight - 6W

Size	L118*W15*H100 mm
Beam Angle	120°
CCT	3000K / 4000K
CRI	>90




Hoisting-Straight cylinder - 6W

Size	Ø30*L300 mm
Beam Angle	24°
CCT	3000K / 4000K
CRI	>90




L-pole Track light - 6W

Size	Ø33*L85 mm
Beam Angle	120°
CCT	3000K / 4000K
CRI	>90



L-pole Track light - 12W

Size	Ø43*L110 mm
Beam Angle	120°
CCT	3000K / 4000K
CRI	>90



MAGNETIC SYSTEM



POWER 9W
CCT 3000K - 4000K
LM 950LM
CRI 80



POWER 18W
CCT 3000K - 4000K
LM 1850LM
CRI 80



POWER 36W
CCT 3000K - 4000K
LM 3890LM
CRI 80



POWER 15W
CCT 3000K - 4000K
LM 1500LM
CRI 80



POWER 6W
CCT 3000K - 4000K
LM 440LM
CRI 80



POWER 12W
CCT 3000K - 4000K
LM 1020LM
CRI 80



POWER 18W
CCT 3000K - 4000K
LM 1580M
CRI 85



POWER 12W
CCT 3000K - 4000K
LM 440LM
CRI 85



POWER 12W
CCT 3000K - 4000K
LM 1020LM
CRI 85



POWER 10W
CCT 3000K - 4000K
LM 950LM
CRI 85



POWER 18W
CCT 3000K - 4000K
LM 950LM
CRI 85




POWER 7W
CCT 3000K - 4000K
LM 520LM
CRI 85



1M-2M-3M
WHITE
220VAC



1M-2M-3M
BLACK
220VAC




RAIL MIDDLE CONNECTORS
WHITE - BLACK
220VAC



RAIL CORNER CONNECTORS
WHITE - BLACK
220VAC



LED	BRAYTRON
DRIVER	BRAYTRON
CCT	3000K - 4000K - 6500K
WATT	15W
CRI	90




LED	BRAYTRON
DRIVER	BRAYTRON
CCT	3000K - 4000K - 6500K
WATT	30W
CRI	90




SINGLE PENDANT




WHITE
1xGU10
Max.1x35w
220VAC IP20
Aluminium




BLACK
1xGU10
Max.1x35w
220VAC IP20
Aluminium




GOLD
1xGU10
Max.1x35w
220VAC IP20
Aluminium




G007R Golden
1xG9 Max.1x10w
220-240VAC IP20
METAL




G007R BLACK
1xG9 Max.1x10w
220-240VAC IP20
METAL







LIGHT THE DETAILS



PHILIPS
5W
24VDC IP68
3000k
200mm



PHILIPS
9W
24VDC IP68
3000k
300mm



PHILIPS
12W
24VDC IP68
3000k
500mm




PHILIPS
8W
220VAC IP68
3000k
200mm



PHILIPS
12W
220VAC IP68
3000k
300mm



PHILIPS
18W
220VAC IP68
3000k
500mm



PHILIPS
5*2W
220VAC IP68
3000k
120mm

LIGHT UP EARTH



PHILIPS
5W
24VDC IP68
3000k
100mm






PHILIPS
8W
220VAC IP68
3000k
200mm



PHILIPS
12W
220VAC IP68
3000k
300mm



PHILIPS
18W
220VAC IP68
3000k
500mm




PHILIPS
5*2W
220VAC IP68
3000k
120mm

SHINE THE GARDEN







GARDEN LAMP
24VDC
IP67



GARDEN LAMP
24VDC
IP67



GARDEN LAMP
24VDC
IP67








GARDEN LAMP
24VDC
IP67





GARDEN LAMP
24VDC
IP67



GARDEN LAMP
24VDC
IP67



No complicated wiring.
The smart driver adapts seamlessly to diverse outdoor environments,
Delivering instant illumination with effortless setup.









GARDEN LAMP
24VDC
IP67



GARDEN LAMP
24VDC
IP67



SENSOR



MICROWAVE SENSOR
2000W
2M-10M
220VAC



MOTION SENSOR
800W
2M-6M
220VAC




MOTION SENSOR
800W
2M-6M
220VAC



MOTION SENSOR
800W
2M-6M
220VAC



PHOTOCELL
25A
220VAC
IP44




PHOTOCELL
25A
220VAC
IP44


LED EXIT SIGN




LED EXIT SIGN
3W
5H BATTERY



LED EXIT SIGN
3W
5H BATTERY



LED EXIT SIGN
3W
5H BATTERY



PROJECTOR



50W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium



100W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium



150W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium



200W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium



250W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium



300W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium

PROJECTOR



30W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium



40W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium



55W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium



83W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium




112W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium




150W
3000K-4000K-6500K
220-240V CRI>70
IP65 Aluminium




3000k 80cm
220-240V CRI>70
IP65 Aluminium




3000k 50cm
220-240V CRI>70
IP65 Aluminium




3000k 30cm
220-240V CRI>70
IP65 Aluminium




E27 80cm
220-240V CRI>70
IP65 Aluminium




E27 50cm
220-240V CRI>70
IP65 Aluminium



E27 30cm
220-240V CRI>70
IP65 Aluminium





3000k 3W
220-240V CRI>70
IP65 Aluminium



3000k 20cm 10w
220-240V CRI>70
IP65 Aluminium




3000k
2 LED - 4 LED - 6 LED - 8 LED - 10 LED - 12 LED
220-240V CRI>70
IP65 Aluminium



3000K 2*3W
220-240V CRI>70
IP65 Aluminium



3000k 20cm 10w
220-240V CRI>70
IP65 Aluminium



3000K 2*3W
220-240V CRI>70
IP65 Aluminium



3000k 3W
220-240V CRI>70
IP65 Aluminium



3000k 20cm 10w
220-240V CRI>70
IP65 Aluminium



3000k
2 LED - 4 LED - 6 LED - 8 LED - 10 LED - 12 LED
220-240V CRI>70
IP65 Aluminium



3000K 2*3W
220-240V CRI>70
IP65 Aluminium



3000k 20cm 10w
220-240V CRI>70
IP65 Aluminium



3000K 2*3W
220-240V CRI>70
IP65 Aluminium

ARTELUX

THE LIGHTING ART



+964 751 773 03 22
+964 771 153 24 33



www.arteluxofficial.com



info@arteluxofficial.com



Erbil: 100m Street, opposite the Erbil International Airport
Sulaymaniyah: Media Street, over the Xasraw Xall Bridge



ARTELUX.OFFICIAL